

PLAT OF

THE WOODLANDS

SEC. 23, TWP. 31N., RGE. 5E., W.M.

CITY OF ARLINGTON, WASH.

SNOHOMISH COUNTY, WASH.

RESTRICTIONS

No lot or portion of a lot in this plat shall be redivided and sold except in conformance with RCW Chapter 58.17, and all applicable zoning and ordinances of the city of Arlington.

This plat is subject to The Woodlands Declaration of Restrictive Covenants, recorded under auditor's file number 8503350154.

Following original reasonable grading of roads and ways hereon, no drainage water on any lot or lots shall be diverted or blocked from its natural course so as to discharge upon any public road rights-of-way to hamper proper road drainage. The owner of any lot or lots prior to making any alteration in the drainage system after the recording of the plat, or prior to connecting the drainage system required as part of any construction on said lot to the existing drainage system, must make application to and receive approval from the city of Arlington for any alteration of or connection to the existing drainage system. Any enclosing of drainage waters in culverts or drains or rerouting thereof across any lot as may be undertaken by or for the owner of any lot shall be done by and at the expense of such owner.

EASEMENT PROVISIONS

An easement is hereby reserved for and dedicated to the City of Arlington, Public Utility District No. 1 of Snohomish County, General Telephone Company of the Northwest, Inc., and the franchised television cable company, and to their respective successors and assigns; each on a non-exclusive basis, under and upon the exterior seven (7) feet of all lots, parallel with the adjoining street frontage, in which to install, lay, construct, renew, operate and maintain underground conduits, cables, and wires with necessary facilities and other equipment for the purpose of serving this subdivision and other property with electricity, telephone, cable t.v., water, sewer, storm drainage and any other utility which is reasonable and necessary for a residential subdivision.

An easement is hereby reserved for The Woodlands Homeowners Association and the city of Arlington along each component of the storm drainage system and to a width of five feet either side of the center line of each component of the storm drainage system for the purpose of maintenance, repair or improvement to the storm drainage system.

An easement is hereby reserved for the City of Arlington along each sanitary sewer line not located within a dedicated road right-of-way and to a width of five feet either side of such sanitary sewer line, for the purpose of installing, constructing, renewing, operating, repairing and maintaining said sanitary sewer line.

APPROVALS

"Examined and approved this 10 day of April, 1985 as to the adequacy of the proposed means of sewage disposal and water supply."

Jerry L. Castle
Director of Public Works of the
City of Arlington

"Examined and approved this 1st day of April, 1985 as being in compliance with all terms of the preliminary approval of the proposed subdivision."

Richard H. Larson
Chairman, City of Arlington
Planning Commission

"Examined and approved this 10 day of April, 1985 as to the survey data, the layout of streets, alleys and other rights-of-way, design of bridges, sewage and water systems and other structures".

OSTERGAARD, ROBINSON & ASSOC. INC.

David O. Ostergaard
Ostergaard & Associates,
City Engineer

"Examined and approved this 10 day of April, 1985. The City Council finds in addition that the plat of The Woodlands Sector 1 is in conformance with the applicable city zoning and all other land use controls presently in effect."

City Council
City of Arlington
John J. Jain, Mayor
Attest: Sally Thompson, City Clerk

SECTOR 1

ACKNOWLEDGEMENTS

STATE OF WASHINGTON)
COUNTY OF KING) ss.

This is to certify that on the 3 day of April, 1985, before me, the undersigned, a Notary Public, personally appeared Robert G. Ludwick, the president of Robert G. Ludwick, Inc., a Washington corporation, to me known to be the individual who executed the within dedication and certificate and acknowledged to me that he signed the same as his voluntary act and deed for the uses and purposes therein mentioned and on oath stated that he was authorized to execute said instrument.

Marilyn Moen
NOTARY PUBLIC in and for the State
of Washington, residing at
Sandpoint

STATE OF WASHINGTON)
COUNTY OF KING) ss.

This is to certify that on the 2nd day of February, 1985, before me, the undersigned, a Notary Public, personally appeared J. B. Jones, the Assistant Vice President of Canadian Commercial Bank, a bank chartered under the laws of Canada, to me known to be the individual who executed the within dedication and certificate and acknowledged to me that he signed the same as his voluntary act and deed for the uses and purposes therein mentioned and on oath stated that he was authorized to execute said instrument.

NOTARY PUBLIC in and for the State of Washington, residing at Vancouver, B.C.

STATE OF WASHINGTON)
COUNTY OF KING) ss.

This is to certify that on the 3 day of April, 1985, before me, the undersigned, a Notary Public, personally appeared Arthur H. McKean, to me known to be the individual who executed the within dedication and certificate as attorney-in-fact for Kenneth B. Rice, KIBO Properties, Ltd., Arlington Builders Corporation, Seattle First National Bank, Cuz Concrete Products, Inc., Associated Sand and Gravel, Builders Distributors Sand and Gravel Co., Stanwood Redi-Mix, Inc., Ja-Ca-Nel Properties, Inc., Airport 37 Investors, a limited partnership, Ronald A. Baker and Joyce A. Baker, Eugene C. Sprout, William E. Popp Associates, Canadian Imperial Bank of Commerce, Carroll J. Jacobson, et ux. and acknowledged to me that he signed the same as his voluntary act and deed as attorney-in-fact for Kenneth B. Rice, KIBO Properties, Ltd., Arlington Builders Corporation, Seattle First National Bank, Cuz Concrete Products, Inc., Associated Sand and Gravel, Builders Distributors Sand and Gravel, Inc., Arlington Sand and Gravel Co., Stanwood Redi-Mix, Inc., Ja-Ca-Nel Properties, Inc., Airport 37 Investors, a limited partnership, Ronald A. Baker and Joyce A. Baker, Eugene C. Sprout, William E. Popp Associates, Canadian Imperial Bank of Commerce, Carroll J. Jacobson, et ux. for the uses and purposes therein mentioned and on oath stated that he was authorized to execute said instrument.

Marilyn Moen
NOTARY PUBLIC in and for the State
of Washington, residing at
Sandpoint

TREASURER'S CERTIFICATE

I, Kirke Stevens, Treasurer of Snohomish County, Washington, do hereby certify that all taxes on the above described tract of land have been paid up-to and including the year of 1985.

\$103.50
SF 1350

Zent Cunderson
Snohomish County Treasurer

Filed for record at the request of Robert G. Ludwick on the 3 day of April, 1985 at 20 minutes past 12 p.m., and recorded in Vol. 446 of plats, pages 37 thru 42 under Auditor's File No. 8504035005. Records of Snohomish County, Washington.

Dean V. Williams by Betty Donahue
Auditor, Snohomish County
SHEET 1 OF 6

PLAT OF THE WOODLANDS

* BASIS OF BEARING: WEST LINE OF THE N.W. 1/4
(I.E.; -N 00 18' 10"E)

**SEC. 23, TWP. 31 N., RGE. 5 E., W.M.
CITY OF ARLINGTON, WASH.
SNOHOMISH COUNTY, WASH.**


SECTOR I

NORTH PROPERTY LINE OF CARROL J. JACKSON, ET AL.
AS ESTABLISHED BY JUDICIAL DECISION, FEB. 10, 1983
CASE NO. 82-2-00877-5 SUPERIOR COURT OF
WASHINGTON FOR SNOHOMISH COUNTY

Survey Data:

- Point A: N 42° 44' 2" E, 33.00'
- Point B: N 04° 32.10' E, 22.07' (Total distance from A)
- Point C: N 05° 11' 56" E, N 05° 11' 56" E (Angle at C)
- Point D: N 05° 15' 35" E, 60.00' (Total distance from C)
- Point E: N 66° 44' 56" E, 15.16' (Rec. 17.86')
- Point F: N 75° 10' 17" E, 104.78' (Total distance from E)
- Line AB: 5 08° 48' 13" E
- Line BC: 5 08° 48' 13" E
- Line CD: 5 08° 48' 13" E
- Line DE: 5 08° 48' 13" E
- Line EF: 5 08° 48' 13" E
- Line FA: 5 08° 48' 13" E

SUBDIVISION BREAKDOWN & SECTOR I - 4 BOUNDARY (REFERENCE ONLY MAP)




LEGAL DESCRIPTION FOR THE WOODLANDS

That portion of Section 23 and Section 24, T 31 N, R 9 E, W.M. in Snohomish County, Washington, all more particularly described as follows:

Beginning on the northwest corner of Section 23-31-5; THENCE S 88° 48' 13" E along the North section line 1320.50 ft to the True Point of Beginning; THENCE continue S 88° 48' 13" E along said line 1320.50 ft to the north quarter corner of said Section 23; THENCE S 88° 50' 55" E 2642.25 ft. to the northeast corner of section 23; THENCE S 1° 19' 25" W along the East line of Section 23, 776.70 ft to a point on the westerly line of State Route No. 9; THENCE S 18° 12' 04" E along said westerly line 2000.07 ft; THENCE N 88° 49' 12" W 668.45 ft to the east quarter corner of Section 23; THENCE continue N 88° 49' 12" N 1946.41 ft to the northeast corner of the east half of the west half of the southeast quarter of Section 23; THENCE S 0° 34' 03" W 2616.44 ft along the west line of the east half of the west half of said southeast quarter of Section 23 to a point on the south line of the southeast quarter of said Section 23; THENCE N 87° 25' 59" W 637.52 ft along said south line to the south quarter corner of said Section 23; THENCE N 0° 18' 41" E along the centerline of Section 23, 1300.57 ft to the southeast corner of the northeast quarter of the southwest quarter of Section 23; THENCE N 89° 28' 50" W 1319.31 ft to the southwest corner of said northeast quarter of the southwest quarter of Section 23; THENCE N 0° 16' 30" E 1315.79 ft to the northwest corner of said northeast quarter of said southwest quarter of Section 23; THENCE N 88° 49' 12" W 990.30 ft along the centerline of Section 23 to a point lying S 88° 49' 12" E 330.00 ft from the west quarter corner of Section 23; THENCE N 0° 18' 10" E 200.00 ft; THENCE N 88° 49' 12" W 300.00 ft to a point on the east line of 67th Avenue Northeast (60.00 ft wide) THENCE N 0° 18' 10" E along the east line of 67th Avenue Northeast and parallel with the west line of the northwest quarter of said Section 23, 1131.60 ft to a point on the south line of the northwest quarter of the northwest quarter of section 23; THENCE S 88° 48' 43" E 330.00 ft along said south line of said northwest quarter of the northwest quarter of Section 23; THENCE N 0° 18' 10" E 180.00 ft; THENCE N 88° 48' 43" W 104.76 ft to the beginning of a property line established by judicial decision February 10, 1983; Case No. 82-2-00877-5, Superior Court of Washington for Snohomish County; THENCE along said line N 66° 44' 56" W 18.18 ft; THENCE N 73° 10' 17" W 47.41 ft; THENCE N 81° 45' 38" W 60.09 ft; THENCE S 89° 22' 53" W 27.07 ft; THENCE S 80° 22' 54" W 30.10 ft; THENCE S 81° 40' 46" W 33.06 ft; THENCE S 43° 52' 51" W 20.45 ft to the east line of 67th Avenue northeast and the end of the above described line as set by judicial decision; THENCE N 0° 18' 10" E along said line 821.59 ft; THENCE S 88° 48' 13" E along a line parallel with and 330.00 ft south of the north line of Section 23, 450.00 ft; THENCE N 0° 18' 10" E 300.00 ft to a point on the south line of 188th Street Northeast; THENCE S 88° 48' 13" E along the south line of 188th Street Northeast and parallel with the north line of Section 23 840.49 ft to a point on the east line of the northwest quarter of the northwest quarter of Section 23; THENCE N 0° 18' 25" E 30.00 ft along said line to the True Point of Beginning. Except that portion of the northeast quarter of the northeast quarter of Section 23-31-5 being the legal right-of-way for State Route No 9, and that portion of the southwest quarter of the southeast quarter of Section 23 being the legal right-of-way for the Greenwood Sisco Road.

SUBDIVISION BREAKDOWN & GRAPHIC LIMITS OF SECTOR I BOUNDARY



LEGAL DESCRIPTION FOR "WOODLANDS" SECTOR ONE

That portion of Section 23, Township 31 North, Range 5 East, W.M., in Snohomish County, Washington, being more particularly described as follows:

Beginning at the Northwest corner of said Section; - THENCE S 88° 48' 13" E along the North Section Line, 1320.50 feet; THENCE S 0° 18' 25" W, 30.00 feet to the True Point of Beginning; THENCE S 0° 18' 25" W, 300.00 feet; THENCE N 88° 48' 13" W, 212.41 feet; THENCE S 8° 37' 54" E, 31.25 feet; THENCE S 27° 15' 00" E, 415.00 feet; THENCE S 0° 18' 25" W, 189.77 to a point on the easterly line of a 60.00-feet wide roadway; THENCE on a 405.00 feet radius curve to the right from a tangent bearing S 31° 10'. 30" E through a central angle of 31° 39' 26" and an arc length of 223.77 feet; THENCE S 0° 18' 56" W, 1134.25 feet to the beginning of a 70.00 feet radius curve to the left; THENCE along said curve through a central angle of 84° 54' 08"-and an arc length of 103.23 feet; -THENCE S 84° 35' 12" E, 82.10 feet; THENCE S 10° 31' 46" E, 62.40 feet; THENCE on a 25.00 feet radius curve to the left, from a tangent bearing N 84° 35' 12" W through a central angle of 89° 49' 41" and an arc length of 39.19 feet; THENCE S 5° 35' 07" W, 110.77 feet; THENCE S 0° 05' 19" W, 33.46 feet to a point on the south line of the Northwest Quarter of the above mentioned Section 23; THENCE N 88° 49' 12" W, 1170.47 feet along said line; THENCE N 0° 18' 10" E, 200.00 feet; THENCE N 88° 49' 12" W, 300.00 feet to a point on the East Line of 67th Avenue Northeast; THENCE N 0° 18' 10" E, 1131.60 feet along said line to a point on the South Line of the Northwest Quarter of the Northwest Quarter of said Section 23; THENCE S 88° 48' 43" E, 330.00 feet; THENCE N 0° 18' 10" E, 180.00 feet; THENCE N 88° 48' 43" W, 104.76 feet to the beginning of a property line established by judicial decision February 10, 1983; Case No. 82-2-08877-5, Superior Court of Washington for Snohomish County; THENCE along said line N 66° 44' 56" W, 18.18 feet; THENCE N 73° 10' 17" W, 47.41 feet; THENCE N 81° 45' 38" W, 60.09 feet; -THENCE S 89° 22' 53" W, 27.07 feet; THENCE S 80° 22' 54" W, 30.10 feet; THENCE S 81° 40' 46" W, 33.06 feet; THENCE S 43° 52' 51" W, 20.45 feet to the east line of 67th Avenue Northeast and to the end of the above described line as set by judicial decision; THENCE N 0° 18' 10" E, along said line 821.59 feet; THENCE S 88° 48' 13" E along a line parallel with and 330.00 feet south of the north line of Section 23, 450.00 feet; -THENCE N 0° 18' 10" E, 300.00 feet to a point on the south line of 188th Street Northeast; THENCE S 88° 48' 13" E, along the south line 188th Street Northeast and parallel with the north line of Section 23, 840.49 feet to a point on the east line of the northwest quarter of the northwest quarter of Section 23, The True Point of Beginning.

#8504035005

PLAT OF THE WOODLANDS

DIV. A, SECTOR I

SEC. 23, TWP. 31 N., RGE. 5 E. W.M.

CITY OF ARLINGTON, WASH.

ENGINEERING:
SPROUT ENGINEERS
607 SW GRADY WAY
RENTON, WASH.


SCALE: 1" = 100'

SNOHOMISH COUNTY, WASH.

NW CORNER SECTION 23,
TWP. 31 N., RGE. 5 E., W.M.
FD. BRASS PIN IN CONC.

188th ST. N.E.

S 88° 48' 13" E 1320.50'



PLAT OF THE WOODLANDS
SEC. 23, TWP. 31N., RGE. 5E., W.M.
CITY OF ARLINGTON, WASH.

DIV. B, SECTOR I


**ENGINEERING:
SPROUT ENGINEERS
607 SW GRADY WAY
RENTON, WASH.**

SCALE: 1" = 100'

SNOHOMISH COUNTY, WASH

16th CORNER
FOUND I.P.

S $00^{\circ} 18' 25''$
1331.40



LEGEND

CENTERLINE : - - - - -
RIGHT OF WAY : - - - - -
DIV. BOUNDARY : - - - - -
SECTION LINE : - - - - -
CONCRETE MONUMENT : ■
MONUMENT IN CASE : ◎
LOT CORNER : L L
SECTOR BOUNDARY : - - - - -

NOTES:
BUILDING SET-BACKS PER CITY ORD. No. 20.19.050
ALL MONUMENTS & PINS WILL BE SET BY SPROUT ENGINEER

CURVE TABLE


LABEL	RADIUS	CENTRAL ANGLE	ARC LENGTH	CHORD LENGTH
C1	181.84	33° 28' 29"	108.24	104.74
C2	181.84	48° 27' 38"	153.80	149.28
C3	45.00	55° 51' 00"	43.86	42.15
C4	25.00	98° 00' 14"	42.76	37.74
C5	420.00	03° 58' 50"	29.30	29.30
C6	25.00	41° 15' 10"	18.00	17.61
C7	45.00	48° 02' 12"	38.16	35.19
C8	45.00	42° 24' 33"	33.31	32.55
C9	45.00	40° 00' 00"	31.42	30.78
C10	45.00	25° 41' 15"	20.17	20.01
C11	45.00	48° 42' 02"	38.25	37.11
C12	25.00	35° 41' 07"	15.57	15.32
C13	25.00	83° 54' 11"	36.61	33.43
C14	211.84	08° 18' 38"	23.33	23.32
C15	25.00	68° 53' 38"	30.06	28.28
C16	240.00	01° 40' 15"	7.00	7.00
C17	25.00	38° 12' 48"	18.87	18.37
C18	45.00	28° 20' 53"	22.26	22.04
C19	45.00	49° 36' 58"	38.97	37.76
C20	45.00	27° 50' 02"	21.88	21.65

**NOTE: CURVE TABLE CODE LABELS PERTAIN ONLY TO
CURVES IN THIS DIVISION.**

卷之三

S.W. COR. S.W. 1/4 N.W. 1/4
EQUINOM INCASE

W. CORNER SECTION 23,
WP. 31 N., RGE. 5 E., W. M.



SHEET 4 OF 6

PLAT OF THE WOODLANDS DIV. C, SECTOR I



SEC. 23, TWP. 31 N., RGE. 5 E. W.M.
CITY OF ARLINGTON, WASH.

SCALE: 1" = 100'

SNOHOMISH COUNTY, WASH.

ENGINEERING:
SPROUT ENGINEERS
607 SW GRADY WAY
RENTON, WASH.

NW CORNER SECTION 21
TWP. 31 N., RGE. 5 E., W.M.
FOUND LEAD PLUG-W/W/BRASS PIN



LEGEND:

CTR. LINE: —
ROW: ———
DIV.: - - - - -
BOUNDARY: - - -
SECTION: - - - - -
CONC. MON.: ■
MON. IN CASE: ◊
LOT CORNER: L
SECTOR BOUNDARY: - - -

NOTE:
ALL MONUMENTS &
PINS WILL BE SET
BY SPROUT ENG.
No. 9690

CURVE TABLE

LABEL	RADIUS	CENTRAL ANGLE	ARC LENGTH	CHORD LENGTH
C2	181.84	48° 27' 36"	159.80	149.28
C3	100.00	84° 54' 08"	148.18	134.99
C4	199.51	20° 56' 18"	72.91	72.51
C5	490.00	12° 53' 41"	110.28	110.04
C6	360.00	15° 42' 33"	98.70	98.39
C7	325.00	13° 45' 04"	78.00	77.81
C8	25.00	88° 59' 58"	39.27	35.35
C9	130.00	15° 40' 04"	35.55	35.44
C10	130.00	08° 55' 54"	20.27	20.24
C11	25.00	86° 11' 25"	37.61	34.16
C12	25.00	84° 34' 54"	36.90	33.64
C13	330.00	05° 14' 55"	30.23	30.22
C14	25.00	100° 49' 05"	43.98	38.93
C15	45.00	28° 56' 01"	21.15	20.98
C16	25.00	38° 12' 48"	18.87	18.37
C17	25.00	14° 04' 28"	8.14	8.13
C18	25.00	75° 08' 52"	32.79	30.49
C19	25.00	70° 14' 13"	30.85	28.78
C20	330.00	02° 15' 58"	15.42	15.42
C21	25.00	81° 28' 26"	35.58	32.63
C22	355.00	04° 38' 58"	28.81	28.80
C23	355.00	02° 01' 14"	12.92	12.92
C24	25.00	34° 48' 08"	15.19	14.98
C25	45.00	27° 25' 39"	21.54	21.34
C26	45.00	19° 28' 38"	15.30	15.22
C27	45.00	36° 17' 50"	28.51	28.03
C28	295.00	05° 22' 08"	27.84	27.83
C29	25.00	42° 35' 55"	18.59	18.16
C30	25.00	88° 54' 45"	37.92	34.39
C31	25.00	93° 43' 31"	40.90	38.48
C32	200.00	01° 50' 45"	8.44	8.44
C33	25.00	44° 48' 53"	19.56	19.07
C34	45.00	26° 18' 58"	20.87	20.49
C35	45.00	44° 33' 45"	35.00	34.12
C36	45.00	44° 49' 21"	35.20	34.31
C38	45.00	28° 38' 07"	22.48	22.26
C39	25.00	33° 32' 07"	14.87	14.48
C40	260.00	05° 16' 54"	23.87	23.86
C41	25.00	76° 48' 01"	34.18	31.97

NOTE: CURVE TABLE CODE LABELS PERTAIN ONLY TO
CURVES IN THIS PLAT.

LONG CHORD DATA
C2 - S 40° 42' 12"E
C6 - N 16° 54' 06"E

BUILDING SET-BACKS PER CITY ORD. NO. 20.9.050

#8504035005

SHEET 5 OF 6

PLAT OF THE WOODLANDS

SEC. 23, TWP. 31N., RGE. 5E. W.M.

CITY OF ARLINGTON, WASH.



DIV.D, SECTOR I

ENGINEERING:
SPROUT ENGINEERS
607 SW GRADY WAY
RENTON, WASH.

SCALE: 1" = 100'

SNOHOMISH COUNTY, WASH.

NW CORNER SECTION 23,
TWP. 31N., RGE. 5E., W.M.
FOUND LEAD PLUG W/ BRASS PIN



LEGEND:

- CTR. LINE: —
- ROW: —
- DIV.: - - -
- BOUNDARY: - - -
- SECTION: - - -
- CONC. MON.: ■
- MON. IN CASE: ●
- PROP. CORNER: L
- SECTOR BOUNDARY: - - -

ALL MONUMENTS & PINS
WILL BE SET BY: SPROUT
ENGINEERS NO. 9690

BUILDING SET-BACKS PER CITY ORD. No. 20.19.050

CURVE TABLE

LABEL	RADIUS	CENTRAL ANGLE	ARC LENGTH	CHORD LENGTH
C1	650.00	13° 20'	150.00	149.67
C2	360.00	22° 47' 42"	143.23	142.28
C3	181.84	48° 27' 38"	193.80	192.26
C4	181.84	33° 28' 29"	106.24	104.74
C5	300.00	32° 40' 57"	171.12	168.81
C6	100.00	58° 19' 47"	101.80	97.46
C7	225.00	12° 59' 53"	51.04	50.93
C8	150.00	58° 20' 50"	155.76	148.86
C9	70.00	60° 03' 16"	84.37	79.35
C10	70.00	81° 02' 23"	98.01	90.98
C11	25.00	124° 18' 29"	54.24	44.21
C12	40.00	47° 07' 58"	32.81	31.99
C13	40.00	21° 55' 17"	15.30	15.21
C14	25.00	65° 31' 28"	37.32	33.95
C15	25.00	85° 31' 38"	37.32	33.95
C16	100.00	07° 02' 36"	12.29	12.29
C17	100.00	05° 43' 46"	10.00	9.99
C18	100.00	11° 35' 15"	20.22	20.19
C19	100.00	18° 07' 41"	33.38	33.23
C20	100.00	22° 55' 08"	40.00	39.73
C21	- 100.00	08° 35' 40"	15.00	14.99
C22	- 100.00	18° 24' 50"	32.14	32.00
C23	180.00	11° 33' 58"	36.33	36.27
C24	180.00	06° 21' 58"	20.00	19.99
C25	180.00	10° 33' 58"	33.19	33.15
C26	25.00	74° 27' 07"	32.49	30.25
C27	- 25.00	104° 33' 31"	45.82	39.55
C28	- 330.00	08° 27' 20"	37.18	37.16
C29	- 330.00	09° 18' 04"	30.34	30.33
C30	- 25.00	63° 33' 59"	27.74	26.34
C31	130.00	10° 57' 14"	24.85	24.81
C32	- 245.00	07° 36' 04"	32.50	32.48
C33	- 245.00	03° 30' 28"	15.00	15.00
C34	- 345.00	08° 55' 54"	41.74	41.71
C35	- 29.15	89° 59' 56"	45.79	41.22
C36	- 25.00	80° 00' 04"	39.27	35.36
C37	- 25.00	89° 57' 38"	43.82	38.29
C38	- 25.00	80° 00' 00"	39.27	35.36

NOTE: CURVE TABLE CODE LABELS PERTAIN ONLY TO
CURVES IN THIS PLAT.

LONE CHORD DATA:

C6 - N 46° 09' 53" E

C2 - N 36° 06' 24" E

C3 - N 40° 42' 12" W

#R50403.5005